

Table 1: Curative effect of *Tian Jiu* on allergic rhinitis and bronchial asthma

| | Allergic rhinitis | | | | Bronchial asthma | | | |
|------|-------------------|-----------|----------------------------------|-----------|------------------|-----------|----------------------------------|-----------|
| | Summer treatment | | Winter treatment | | Summer treatment | | Winter treatment | |
| | Improved | No change | Improved | No change | Improved | No change | Improved | No change |
| 2010 | 57% | 43% | 55% | 45% | 60% | 40% | 65% | 35% |
| 2011 | 52% | 48% | 54% | 46% | 59% | 41% | 43% | 57% |
| 2012 | 52% | 48% | 67% | 33% | 59% | 41% | 73% | 27% |
| 2013 | 53% | 47% | Telephone interviews in progress | | 55% | 45% | Telephone interviews in progress | |

Table 2: Body constitution of patients after receiving *Tian Jiu*

| | Allergic rhinitis patients | | | | | | Bronchial asthma patients | | | | | |
|------|----------------------------|----------|-----------|----------------------------------|----------|-----------|---------------------------|----------|-----------|----------------------------------|----------|-----------|
| | Summer treatment | | | Winter treatment | | | Summer treatment | | | Winter treatment | | |
| | Significantly improved | Improved | No change | Significantly improved | Improved | No change | Significantly improved | Improved | No change | Significantly improved | Improved | No change |
| 2010 | 5% | 27% | 68% | 8% | 29% | 63% | 3% | 32% | 65% | 23% | 19% | 58% |
| 2011 | 7% | 36% | 57% | 7% | 30% | 63% | 8% | 39% | 53% | 11% | 29% | 60% |
| 2012 | 3% | 36% | 61% | 3% | 45% | 52% | 2% | 37% | 61% | 2% | 48% | 50% |
| 2013 | 17% | 30% | 53% | Telephone interviews in progress | | | 16% | 28% | 56% | Telephone interviews in progress | | |